

Washington Flora Checklist

A checklist of the Vascular Plants of Washington State

Hosted by the University of Washington Herbarium

Family: Santalaceae

10 terminal taxa (species, subspecies, and varieties).

The Washington Flora Checklist aims to be a complete list of the native and naturalized vascular plants of Washington State, with current classifications, nomenclature and synonymy.

Taxa included in the checklist:

- * Native taxa whether extant, extirpated, or extinct.
- * Exotic taxa that are naturalized, escaped from cultivation, or persisting wild.
- * Waifs (e.g., ballast plants, escaped crop plants) and other scarcely collected exotics.
- * Interspecific hybrids that are frequent or self-maintaining.
- * Some unnamed taxa in the process of being described.

Family classifications follow [APG IV](#) for angiosperms, PPG I (J. Syst. Evol. 54:563?603. 2016.) for pteridophytes, and Christenhusz et al. (Phytotaxa 19:55?70. 2011.) for gymnosperms, with a few exceptions. Nomenclature and synonymy at the rank of genus and below follows the [2nd Edition of the Flora of the Pacific Northwest](#) except where superseded by new information.

Accepted names are indicated with blue font; synonyms with black font.
Native species and infraspecies are marked with **boldface** font.

Please note: This is a working checklist, continuously updated. Use it at your discretion.

Created from the Washington Flora Checklist Database on May 5th, 2024 at 6:28pm PST.
Available online at <https://burkeherbarium.org/waflora/>

Comments and questions should be addressed to the checklist administrators:
David Giblin (dgiblin@uw.edu)
Peter Zika (zikap941@gmail.com)

Suggested citation:

Weinmann, F., P.F. Zika, D.E. Giblin, B. Legler. 2002+. Checklist of the Vascular Plants of Washington State. University of Washington Herbarium. <https://burkeherbarium.org/waflora/>. Accessed 05 May 2024.

Dicots:

Comandraceae (see Santalaceae)

Santalaceae [HC, HC2, JPM2] Sandalwood Family

Synonyms:

Comandraceae [JPM2] (Bastard Toadflax Family)

Viscaceae (Mistletoe Family)

Jepson Manual, 2nd Edition: "Segregated, along with other families, from otherwise paraphyletic Santalaceae"

References: (none)

Arceuthobium [HC, HC2]

dwarf mistletoe

Arceuthobium abietinum Engelm. ex Munz [HC2, KZ99]

white fir dwarf mistletoe

Arceuthobium campylopodum Engelm. f. *abietinum* (Engelm.) Gill [HC]

Arceuthobium campylopodum Engelmann ssp. *abietinum* (Engelmann) Nickrent [FNA]

Arceuthobium occidentale Engelm. var. *abietinum* Engelm.

Arceuthobium americanum Nutt. ex Engelm. [HC, HC2]

Boston J. Nat. Hist. vi.

lodgepole pine dwarf mistletoe

Arceuthobium campylopodum Engelm. [HC, HC2]

Boston J. Nat. Hist. 6(2): 214, adnot.

western dwarf mistletoe

(see also *Arceuthobium abietinum*, *Arceuthobium laricis*, *Arceuthobium tsugense*)

Arceuthobium campylopodum Engelm. f. *campylopodum* [HC]

Arceuthobium campylopodum Engelmann ssp. *campylopodum* [FNA]

Arceuthobium douglasii Engelm. [HC, HC2]

In Wheeler, Rep. vi. 253.

Douglas-fir dwarf mistletoe

Arceuthobium laricis (Piper) H. St. John [HC2, KZ99]

Fl. S.-e. Washington (St. John) 115.

larch dwarf mistletoe

Arceuthobium campylopodum Engelm. f. *laricis* (Piper) L.S. Gill [HC]

Arceuthobium campylopodum Engelmann ssp. *laricis* (M. E. Jones) Nickrent [FNA]

Arceuthobium tsugense (Rosend.) G.N. Jones [HC2]

Univ. Wash. Publ. Biol. 5: 139.

hemlock dwarf mistletoe

Arceuthobium campylopodum Engelm. f. *tsugensis* (Rosend.) Gill [HC]

Arceuthobium campylopodum Engelmann ssp. *tsugense* (Rosendahl) Nickrent [FNA]

ssp. *contortae* Wass & Mathiasen [HC2]

Novon 13(2): 269 (268-276; map-figs. 1-2).

hemlock dwarf mistletoe

ssp. *tsugense* [HC2, KZ99]

Univ. Wash. Publ. Biol. 5: 139.

hemlock dwarf mistletoe

Comandra [HC, HC2]

bastard toadflax
(see also *Geocaulon*)

Comandra umbellata (L.) Nutt. [HC, HC2]

Gen. N. Amer. Pl. [Nuttall]. 1: 157.

bastard toadflax

ssp. **californica** (Eastw. ex Rydb.) Piehl [HC2, KZ99]

Mem. Torrey Bot. Club 22(1): 65.

bastard toad flax

Comandra californica Eastw. ex Rydb.

Comandra umbellata (L.) Nutt. var. *californica* (Eastw. ex Rydb.) C.L. Hitchc. [HC]

ssp. **pallida** (A. DC.) Piehl [HC2, KZ99]

Mem. Torrey Bot. Club 22(1): 70.

bastard toad flax

Comandra pallida A. DC.

Comandra umbellata (L.) Nutt. var. *angustifolia* (A. DC.) Torr.

Comandra umbellata (L.) Nutt. var. *pallida* (A. DC.) M.E. Jones [HC]

Geocaulon [HC2]

false toadflax

Geocaulon lividum (Richardson) Fernald [HC2, KZ99]

Rhodora 30: 23.

false toadflax

Comandra livida Richardson [HC]

Comandra lividum Richardson

Viscaceae (see Santalaceae)