

PlantQuest - Columbia County Search List

Scientific Name	Family	Common Name	Habitat	Bloom Period
<i>Allium acuminatum</i>	Amaryllidaceae	taper-tip onion	western forest, prairie or bald, shrub-steppe	may, jun, jul
<i>Amsinckia intermedia</i>	Boraginaceae			
<i>Amsinckia lycopsoides</i>	Boraginaceae	tarweed fiddleneck, bugloss fiddleneck	shrub-steppe, disturbed areas	apr, may, jun, jul, aug
<i>Asparagus officinalis</i> *	Asparagaceae	garden asparagus	freshwater, disturbed areas	jul, aug
<i>Astragalus asotinensis</i>	Fabaceae		shrub-steppe	mar, apr, may
<i>Astragalus cusickii</i>	Fabaceae	Cusick's milk-vetch	shrub-steppe	may, jun, jul
<i>Astragalus cusickii</i> var. <i>cusickii</i>	Fabaceae	Cusick's milk-vetch		may, jun, jul
<i>Calochortus eurycarpus</i>	Liliaceae	white mariposa lily, wide-fruited mariposa, big-pod mariposa lily	eastern forest, shrub-steppe	jun, jul, aug
<i>Calochortus macrocarpus</i> var. <i>maculosus</i>	Liliaceae	sagebrush mariposa		
<i>Camassia quamash</i> ssp. <i>quamash</i>	Asparagaceae	Common camas		apr, may, jun
<i>Celtis reticulata</i>	Cannabaceae	netleaf hackberry	eastern forest, shrub-steppe, freshwater	apr, may
<i>Chorispora tenella</i> *	Brassicaceae	crossflower, blue mustard	eastern forest, shrub-steppe, disturbed areas	mar, apr, may, jun
<i>Comandra umbellata</i> ssp. <i>pallida</i>	Santalaceae			
<i>Crocidium multicaule</i>	Asteraceae	common spring-gold, gold star	eastern forest, prairie or bald, shrub-steppe, disturbed areas	mar, apr, may, jun, nov-feb
<i>Erigeron corymbosus</i>	Asteraceae	longleaf fleabane, foothill daisy	eastern forest, shrub-steppe	jun, jul, aug

* = Introduced species

Burke Herbarium Image Collection - <https://biology.burke.washington.edu/herbarium/imagecollection.php>

University of Washington

Date compiled: May 12, 2021

<i>Euthamia occidentalis</i>	Asteraceae	western goldentop, western goldenrod	shrub-steppe, freshwater	jul, aug, sep, oct
<i>Glossopetalon spinescens</i> var. <i>aridum</i>	Crossosomataceae	Spiny green-bush		apr, may, jun
<i>Helianthella uniflora</i> var. <i>douglasii</i>	Asteraceae	Rocky Mountain helianthella		may, jun, jul, aug
<i>Hesperostipa comata</i> ssp. <i>comata</i>	Poaceae	Needlegrass, needle-and-thread		may, jun, jul
<i>Lomatium rollinsii</i>	Apiaceae	Rollins' biscuitroot, rollins' desert-parsley	shrub-steppe	apr
<i>Lomatium serpentinum</i>	Apiaceae	sweetscented biscuitroot, Snake Canyon desert-parsley	shrub-steppe	apr, may, jun, jul
<i>Lupinus sericeus</i> var. <i>asotinensis</i>	Fabaceae	Asotin silk lupine		
<i>Morus alba</i> *	Moraceae	white mulberry	freshwater, disturbed areas	apr, may, jun
<i>Oenothera curtiflora</i> *	Onagraceae	velvet weed	eastern forest, disturbed areas	jun, jul, aug, sep
<i>Oenothera pallida</i>	Onagraceae	pale evening-primrose, pale evening-primrose	eastern forest, shrub-steppe	may
<i>Onopordum acanthium</i> *	Asteraceae	Scotch cottonthistle, Scots thistle, Scotch thistle, cotton thistle	freshwater, disturbed areas	jun, jul, aug
<i>Parietaria pensylvanica</i>	Urticaceae	Pennsylvania pellitory	eastern forest, shrub-steppe, freshwater, disturbed areas	may, jun, jul, aug, sep
<i>Penstemon glandulosus</i>	Plantaginaceae	stickystem penstemon, sticky-stem penstemon	eastern forest, shrub-steppe	may, jun, jul
<i>Penstemon glandulosus</i> var. <i>glandulosus</i>	Plantaginaceae	Glandular penstemon, sticky-st penstemon	may, jun, jul	
<i>Penstemon triphyllus</i>	Plantaginaceae	Riggin's penstemon, whorled beardtongue	eastern forest, shrub-steppe	may, jun, jul
<i>Plantago patagonica</i>	Plantaginaceae	woolly plantain	eastern forest, shrub-steppe	apr, may, jun
<i>Poa secunda</i> ssp. <i>juncifolia</i>	Poaceae			

* = Introduced species

Burke Herbarium Image Collection - <https://biology.burke.washington.edu/herbarium/imagecollection.php>

University of Washington

Date compiled: May 12, 2021

<i>Polemonium micranthum</i>	Polemoniaceae	annual polemonium, annual Jacob's-ladder	eastern forest, shrub-steppe, disturbed areas	mar, apr, may
<i>Ribes niveum</i>	Grossulariaceae	snow currant, Snake River gooseberry, snow gooseberry	eastern forest, freshwater	apr, may
<i>Robinia pseudoacacia</i> *	Fabaceae	black locust	freshwater, disturbed areas	may
<i>Sedum leibergii</i>	Crassulaceae	Leiberg's stonecrop	shrub-steppe	may, jun, jul
<i>Sphaeralcea munroana</i>	Malvaceae	Munro's globemallow, white-stemmed globemallow	eastern forest, shrub-steppe	may, jun, jul, aug
<i>Thelypodium milleflorum</i>	Brassicaceae	many-flowered thelypody	eastern forest, shrub-steppe	apr, may, jun, jul
<i>Tripsidium ravennae</i> *	Poaceae	ravennagrass		
<i>Viola nuttallii</i> var. <i>praemorsa</i>	Violaceae			
<i>Viola odorata</i> *	Violaceae	sweet blue violet	freshwater, disturbed areas	mar, apr, may, jun, jul, aug, sep
<i>Xanthium strumarium</i>	Asteraceae	rough cocklebur, Canada cocklebur, common cocklebur	freshwater, disturbed areas	jul, aug, sep, oct

* = Introduced species

Burke Herbarium Image Collection - <https://biology.burke.washington.edu/herbarium/imagecollection.php>

University of Washington

Date compiled: May 12, 2021