

## PlantQuest - Franklin County Search List

Scientific Name	Family	Common Name	Habitat	Bloom Period
<i>Alhagi maurorum</i> *	Fabaceae	camelthorn	shrub-steppe, disturbed areas	jun, jul, aug
<i>Amaranthus retroflexus</i> *	Amaranthaceae	red-root pigweed	disturbed areas	jul, aug, sep, oct
<i>Amsinckia intermedia</i>	Boraginaceae			
<i>Anthemis cotula</i> *	Asteraceae	stinking chamomile, mayweed chamomile, dogfennel	disturbed areas	may, jun, jul, aug, sep, oct
<i>Balsamorhiza rosea</i>	Asteraceae	rosy balsamroot	eastern forest, shrub-steppe	apr, may
<i>Balsamorhiza sagittata</i>	Asteraceae	arrowleaf balsamroot	eastern forest, shrub-steppe	apr, may, jun, jul
<i>Bidens cernua</i>	Asteraceae	nodding beggarticks, bur marigold	freshwater	jul, aug, sep
<i>Centaurea solstitialis</i> *	Asteraceae	yellow star-thistle, St. Barnaby's thistle	disturbed areas	jul, aug, sep
<i>Clematis ligusticifolia</i>	Ranunculaceae	western white clematis, western clematis	eastern forest, shrub-steppe, freshwater	jun, jul, aug, sep
<i>Collomia grandiflora</i>	Polemoniaceae	grand collomia, large-flower mountain-trumpet, large- flowered collomia	eastern forest, prairie or bald, shrub- steppe	may, jun, jul, aug
<i>Collomia linearis</i>	Polemoniaceae	tiny trumpet, narrow-leaf mountain-trumpet, narrow- leaf collomia	western forest, eastern forest, shrub- steppe, disturbed areas	may, jun, jul, aug
<i>Crataegus douglasii</i>	Rosaceae	black hawthorn, Douglas' hawthorn	western forest, eastern forest, shrub- steppe, freshwater	may, jun
<i>Dieteria canescens</i> var. <i>incana</i>	Asteraceae	hoary-aster		

\* = Introduced species

Burke Herbarium Image Collection - <https://biology.burke.washington.edu/herbarium/imagecollection.php>

University of Washington

Date compiled: May 12, 2021

<i>Dipsacus fullonum</i> *	Dipsacaceae	Fuller's teasel	disturbed areas	jul, aug, sep
<i>Equisetum arvense</i>	Equisetaceae	field horsetail, common horsetail	western forest, eastern forest, freshwater, disturbed areas	no flowers
<i>Erigeron poliospermus</i>	Asteraceae	purple cushion fleabane, Kittitas fleabane	shrub-steppe	apr, may, jun
<i>Erigeron poliospermus</i> var. <i>poliospermus</i>	Asteraceae	Cushion fleabane, hairy-seeded daisy		apr, may, jun
<i>Eriogonum heracleoides</i>	Polygonaceae	parsnip-flower buckwheat, parsnip-flowered eriogonum	eastern forest, shrub-steppe	may, jun, jul
<i>Erythranthe guttata</i>	Phrymaceae	seep monkey-flower	western forest, eastern forest, shrub-steppe, subalpine or alpine, freshwater	mar, apr, may, jun, jul, aug, sep
<i>Hypericum perforatum</i> *	Hypericaceae	common St. Johnswort, Klamath weed	western forest, eastern forest, prairie or bald, disturbed areas	jun, jul, aug
<i>Iris missouriensis</i>	Iridaceae	Rocky Mountain iris, western blue flag	freshwater	may, jun, jul
<i>Lupinus sericeus</i>	Fabaceae	silky lupine	eastern forest, shrub-steppe	may, jun, jul, aug
<i>Lupinus sulphureus</i>	Fabaceae	sulphur lupine	eastern forest, shrub-steppe	apr, may, jun
<i>Malva neglecta</i> *	Malvaceae	common mallow, dwarf mallow	disturbed areas	may, jun, jul, aug, sep
<i>Matricaria discoidea</i>	Asteraceae	disc mayweed, pineapple weed	disturbed areas	may, jun, jul, aug, sep
<i>Melilotus officinalis</i> *	Fabaceae	yellow sweet-clover	disturbed areas	may, jun, jul, aug, sep
<i>Mertensia longiflora</i>	Boraginaceae	small bluebells, long-flowered lungwort, trumpet bluebells	eastern forest, shrub-steppe	apr, may, jun
<i>Nasturtium officinale</i> *	Brassicaceae	watercress	freshwater	may, jun, jul, aug, sep
<i>Persicaria amphibia</i>	Polygonaceae	Water smartweed	freshwater	jun, jul, aug, sep, oct

\* = Introduced species

Burke Herbarium Image Collection - <https://biology.burke.washington.edu/herbarium/imagecollection.php>

University of Washington

Date compiled: May 12, 2021

<i>Poa pratensis</i> * both native & introduced populations	Poaceae	Kentucky bluegrass	western forest, eastern forest, prairie or bald, shrub-steppe, freshwater, disturbed areas	apr, may, jun, jul, aug, sep, oct
<i>Populus trichocarpa</i>	Salicaceae	black cottonwood, balsam poplar	western forest, eastern forest, shrub-steppe, freshwater	apr, may, jun
<i>Ranunculus glaberrimus</i> var. <i>glaberrimus</i>	Ranunculaceae	Sagebrush buttercup		mar, apr, may, jun
<i>Rosa woodsii</i>	Rosaceae	Wood's rose, pearhip rose	eastern forest, shrub-steppe, freshwater	may, jun, jul
<i>Salix laisiandra</i> var. <i>caudata</i>	Salicaceae	Pacific willow		
<i>Salix prolixa</i>	Salicaceae	MacKenzie's willow	freshwater	apr, may, jun
<i>Schoenoplectus americanus</i>	Cyperaceae	Olney's three-square bulrush		
<i>Stellaria media</i> *	Caryophyllaceae	common chickweed	prairie or bald, disturbed areas	mar, apr, may, jun, jul, aug, sep, oct, nov-feb
<i>Symphyotrichum bracteolatum</i>	Asteraceae	bracted aster, Oregon aster, Eaton's aster	freshwater	jul, aug, sep
<i>Trifolium repens</i> *	Fabaceae	white clover, Dutch clover	western forest, eastern forest, disturbed areas	may
<i>Verbena hastata</i>	Verbenaceae	swamp verbena, blue verbena, wild hyssop	freshwater, disturbed areas	jul, aug, sep
<i>Vulpia microstachys</i>	Poaceae	small fescue, Nuttall's fescue		

\* = Introduced species

Burke Herbarium Image Collection - <https://biology.burke.washington.edu/herbarium/imagecollection.php>

University of Washington

Date compiled: May 12, 2021