

PlantQuest - Skamania County Search List

Scientific Name	Family	Common Name	Habitat	Bloom Period
<i>Allium nevii</i>	Amaryllidaceae	Nevius' garlic	eastern forest, shrub-steppe	may
<i>Antennaria dimorpha</i>	Asteraceae	low pussytoes, cushion pussytoes	shrub-steppe	apr, may
<i>Apocynum cannabinum</i>	Apocynaceae	Indian-hemp	freshwater, disturbed areas	jun, jul, aug, sep
<i>Astragalus reventiformis</i>	Fabaceae	Yakima milk-vetch	eastern forest, shrub-steppe	apr, may, jun
<i>Astragalus speirocarpus</i>	Fabaceae	threadstalk milk-vetch, medic milk-vetch, curve-pod milk-vetch, spiral-pod milk-vetch	shrub-steppe	may
<i>Balsamorhiza hookeri</i>	Asteraceae	Hooker's balsamroot, hairy balsamroot	eastern forest, shrub-steppe	apr, may, jun
<i>Cardamine occidentalis</i>	Brassicaceae	big western bittercress		may
<i>Clarkia quadrivulnera</i>	Onagraceae			
<i>Cryptantha flaccida</i>	Boraginaceae	weakstem cryptantha, flacid cryptantha, weakstem cat's eye	shrub-steppe	may, jun
<i>Dodecatheon cosnjugens</i>	Primulaceae	Bonneville shooting star, slimpod shooting star, desert shooting star	eastern forest, shrub-steppe, subalpine or alpine	apr, may, jun
<i>Downingia elegans</i>	Campanulaceae	elegant calicoflower, common downingia	freshwater	jun, jul, aug
<i>Eragrostis hypnoides</i>	Poaceae	teal lovegrass	freshwater, disturbed areas	jun, jul, aug, sep
<i>Erigeron linearis</i>	Asteraceae	desert yellow fleabane, desert yellow daisy, lineleaf fleabane	eastern forest, shrub-steppe	may, jun, jul

* = Introduced species

Burke Herbarium Image Collection - <https://biology.burke.washington.edu/herbarium/imagecollection.php>

University of Washington

Date compiled: May 12, 2021

<i>Eriogonum thymoides</i>	Polygonaceae	thyme buckwheat, thyme-leaf wild buckwheat	eastern forest, shrub-steppe	apr, may, jun
<i>Eryngium petiolatum</i>	Apiaceae	rush-leaf eryngo, Oregon eryngo	freshwater	jun, jul, aug
<i>Iris missouriensis</i>	Iridaceae	Rocky Mountain iris, western blue flag	freshwater	may, jun, jul
<i>Lindernia dubia</i>	Linderniaceae	false pimpernel	freshwater	apr, may, jun, jul, aug, sep, oct
<i>Lomatium canbyi</i>	Apiaceae	Canby's biscuitroot, Canby's desert-parsley, chucklusa	shrub-steppe	mar, apr
<i>Lomatium columbianum</i>	Apiaceae	Columbia Gorge desert-parsley	shrub-steppe	mar, apr
<i>Lomatium macrocarpum</i>	Apiaceae	bigseed biscuitroot, large-fruit desert-parsley, bigseed lomatium	shrub-steppe	mar, apr, may
<i>Lomatium piperi</i>	Apiaceae	Indian biscuitroot	shrub-steppe	apr, may, jun
<i>Lomatium watsonii</i>	Apiaceae	Watson's desert-parsley	shrub-steppe	may
<i>Lupinus lepidus</i> var. <i>aridus</i>	Fabaceae	prairie lupine		
<i>Lupinus sulphureus</i> var. <i>bingenensis</i>	Fabaceae			
<i>Nothocalais troximoides</i>	Asteraceae	weevil prairie-dandelion, false agoseris	eastern forest, shrub-steppe	apr, may, jun
<i>Panicum capillare</i> ssp. <i>capillare</i>	Poaceae	witchgrass, or common panicgrass		
<i>Perideridia montana</i>	Apiaceae			
<i>Persicaria maculosa</i> *	Polygonaceae	spotted lady's-thumb, redshank	freshwater, disturbed areas	mar, apr, may, jun, jul, aug
<i>Phlox longifolia</i>	Polemoniaceae	long-leaf phlox	eastern forest, shrub-steppe	apr, may, jun

* = Introduced species

Burke Herbarium Image Collection - <https://biology.burke.washington.edu/herbarium/imagecollection.php>

University of Washington

Date compiled: May 12, 2021

<i>Ribes aureum</i>	Grossulariaceae	golden currant	eastern forest, shrub-steppe	apr, may
<i>Rosa woodsii</i>	Rosaceae	Wood's rose, pearhip rose	eastern forest, shrub-steppe, freshwater	may, jun, jul
<i>Salix amygdaloides</i>	Salicaceae	peach-leaf willow	freshwater	mar, apr, may
<i>Salix lasiolepis</i>	Salicaceae	arroyo willow	freshwater	apr, may, jun
<i>Salix prolixa</i>	Salicaceae	MacKenzie's willow	freshwater	apr, may, jun
<i>Sisymbrium altissimum</i> *	Brassicaceae	tall tumblemustard, tall rocket mustard, Jim Hill mustard	eastern forest, shrub-steppe, disturbed areas	may, jun, jul, aug, sep
<i>Trifolium variegatum</i>	Fabaceae	white-tip clover	western forest, eastern forest, prairie or bald, shrub-steppe, freshwater	apr, may, jun, jul
<i>Triteleia hyacinthina</i>	Asparagaceae	white triteleia, white brodiaea, fool's-onion	western forest, eastern forest, prairie or bald, shrub-steppe	may, jun, jul, aug
<i>Typha latifolia</i>	Typhaceae	broad-leaf cattail, common cattail	freshwater	jun, jul
<i>Verbascum blattaria</i> *	Scrophulariaceae	moth mullein	eastern forest, shrub-steppe, disturbed areas	may, jun, jul, aug, sep
<i>Veronica anagallis-aquatica</i> *	Plantaginaceae	water speedwell, blue speedwell	freshwater, disturbed areas	jun, jul, aug, sep
<i>Viola trinervata</i>	Violaceae	Rainier violet, sagebrush violet, 3-nerved violet	shrub-steppe	mar, apr, may, jun
<i>Vulpia microstachys</i>	Poaceae	small fescue, Nuttall's fescue		

* = Introduced species

Burke Herbarium Image Collection - <https://biology.burke.washington.edu/herbarium/imagecollection.php>

University of Washington

Date compiled: May 12, 2021