

## PlantQuest - Snohomish County Search List

Scientific Name	Family	Common Name	Habitat	Bloom Period
<i>Anisocarpus madiooides</i>	Asteraceae	tarweed	western forest, prairie or bald	may, jun, jul
<i>Aphanes occidentalis</i>	Rosaceae			
<i>Brodiaea coronaria</i>	Asparagaceae	harvest brodiaea, bluedick brodiaea	eastern forest, prairie or bald	may, jun
<i>Calypso bulbosa</i>	Orchidaceae	fairy slipper	western forest, eastern forest	mar, apr, may, jun
<i>Camassia quamash</i> ssp. <i>maxima</i>	Asparagaceae	Common camas		apr, may, jun
<i>Campanula scouleri</i>	Campanulaceae	pale bellflower	western forest, eastern forest, subalpine or alpine	jun, jul, aug
<i>Carex comosa</i>	Cyperaceae	longhair sedge, bristly sedge, bearded sedge	freshwater	may
<i>Castilleja attenuata</i>	Orobanchaceae	attenuate Indian paintbrush, valley-tassels	western forest, prairie or bald	apr, may, jun
<i>Chaerophyllum temulum</i> *	Apiaceae		western forest, disturbed areas	apr, may, jun
<i>Cotoneaster simonsii</i> *	Rosaceae	Himalayan cotoneaster, Simon's cotoneaster		
<i>Delphinium menziesii</i>	Ranunculaceae	Menzies' larkspur	eastern forest, prairie or bald, shrub-steppe	apr, may, jun, jul
<i>Drosera anglica</i>	Droseraceae	English sundew, giant sundew	freshwater	jun, jul, aug
<i>Eriophorum virginicum</i> *	Cyperaceae	tawny cottongrass	freshwater	jul, aug
<i>Erythranthe alsinoides</i>	Phrymaceae	wing-stem monkey-flower, chickweed monkey-flower	western forest, eastern forest, prairie or bald, freshwater	apr, may, jun

\* = Introduced species

Burke Herbarium Image Collection - <https://biology.burke.washington.edu/herbarium/imagecollection.php>

University of Washington

Date compiled: May 12, 2021

<i>Erythranthe microphylla</i>	Phrymaceae		shrub-steppe, freshwater	apr, may, jun, jul
<i>Fallopia sachalinensis*</i>	Polygonaceae			
<i>Geranium lucidum*</i>	Geraniaceae	shining crane's-bill	western forest, disturbed areas	apr, may, jun
<i>Geranium pusillum*</i>	Geraniaceae	small geranium, small-flower crane's-bill	disturbed areas	may, jun, jul, aug
<i>Hyacinthoides massartiana*</i>	Asparagaceae			
<i>Lathyrus polyphyllus</i>	Fabaceae	leafy pea	western forest, prairie or bald	may, jun, jul
<i>Lomatium utriculatum</i>	Apiaceae	common lomatium, spring gold	prairie or bald	apr, may, jun
<i>Montia howellii</i>	Montiaceae	Howell's miner's-lettuce, Howell's montia	western forest	apr, may
<i>Myriophyllum spicatum*</i>	Haloragaceae	spike water-milfoil, Eurasian water-milfoil	freshwater	apr, may, jun, jul, aug, sep, oct
<i>Najas flexilis</i>	Hydrocharitaceae	nodding water-nymph, slender or wavy water nymph, or slender naias	freshwater	apr, may, jun, jul, aug
<i>Petasites japonicus*</i>	Asteraceae	Japanese sweet coltsfoot	western forest, freshwater, disturbed areas	
<i>Polygonum spargulariiforme</i>	Polygonaceae	spurry or fall knotweed	prairie or bald	jun, jul, aug, sep
<i>Potamogeton amplifolius</i>	Potamogetonaceae	large-leaved pondweed, broad-leaved pondweed	freshwater	jun, jul, aug
<i>Potamogeton pusillus</i>	Potamogetonaceae	small pondweed	freshwater	jul, aug
<i>Potamogeton richardsonii</i>	Potamogetonaceae	Richardson's pondweed, clasping-leaved pondweed	freshwater	jun, jul, aug
<i>Sanicula crassicaulis</i> var. <i>crassicaulis</i>	Apiaceae	Pacific sanicle		may, jun

\* = Introduced species

Burke Herbarium Image Collection - <https://biology.burke.washington.edu/herbarium/imagecollection.php>

University of Washington

Date compiled: May 12, 2021

<i>Sarracenia flava</i> *	Sarraceniaceae	yellow pitcherplant	freshwater	
<i>Sedum spathulifolium</i>	Crassulaceae		western forest, prairie or bald	apr, may, jun
<i>Sedum thartii</i> *	Crassulaceae			
<i>Shepherdia canadensis</i>	Elaeagnaceae	russet buffaloberry, soopolallie, soapberry	western forest, eastern forest, prairie or bald, shrub-steppe	may, jun, jul
<i>Silene gallica</i> *	Caryophyllaceae	common catchfly, windmill-pink	prairie or bald, disturbed areas	may, jun, jul
<i>Sparganium eurycarpum</i>	Typhaceae	broad-fruited bur-reed	freshwater	may, jun, jul, aug, sep, oct
<i>Spirodela polyrhiza</i>	Araceae			
<i>Toxicoscordion venenosum</i> var. <i>venenosum</i>	Melanthiaceae	meadow death camas, common death camas	eastern forest, prairie or bald, shrub-steppe, subalpine or alpine	may, jun, jul
<i>Trifolium oliganthum</i>	Fabaceae	few-flowered clover	prairie or bald	mar, apr, may, jun, jul
<i>Trifolium variegatum</i>	Fabaceae	white-tip clover	western forest, eastern forest, prairie or bald, shrub-steppe, freshwater	apr, may, jun, jul

\* = Introduced species

Burke Herbarium Image Collection - <https://biology.burke.washington.edu/herbarium/imagecollection.php>

University of Washington

Date compiled: May 12, 2021