

PlantQuest - Spokane County Search List

Scientific Name	Family	Common Name	Habitat	Bloom Period
<i>Artemisia ludoviciana</i> ssp. <i>incompta</i>	Asteraceae	Western mugwort, prairie sage	eastern forest, subalpine or alpine	jun, jul, aug, sep, oct
<i>Artemisia tridentata</i> ssp. <i>vaseyana</i>	Asteraceae	Vasey sagebrush, mountain big sagebrush		
<i>Artemisia tripartita</i> ssp. <i>tripartita</i>	Asteraceae	threetip sagebrush, cutleaf sagebrush		
<i>Astragalus arrectus</i>	Fabaceae	Palouse milk-vetch, hanging pod milk- vetch		
<i>Astragalus collinus</i> var. <i>collinus</i>	Fabaceae	Hill milk-vetch, hillside milk-vetch		may, jun
<i>Astragalus microcystis</i>	Fabaceae	dwarf milk-vetch, lesser-bladder milk- vetch	shrub-steppe	may
<i>Astragalus spaldingii</i>	Fabaceae	Spalding's milk-vetch	shrub-steppe	may
<i>Botrychium minganense</i>	Ophioglossaceae	Mingan moonwort	western forest, eastern forest, subalpine or alpine, freshwater	no flowers
<i>Botrychium pedunculosum</i>	Ophioglossaceae	stalked moonwort	eastern forest, subalpine or alpine	no flowers
<i>Botrychium pinnatum</i>	Ophioglossaceae	northern moonwort, northwestern or St. John's moonwort	western forest, eastern forest, subalpine or alpine	no flowers
<i>Botrypus virginianus</i>	Ophioglossaceae			
<i>Carex buxbaumii</i>	Cyperaceae	Buxbaum's sedge, brown bog sedge	freshwater, saltwater shores	jun, jul, aug
<i>Carex hystericina</i>	Cyperaceae	bottlebrush sedge, porcupine sedge	freshwater	may

* = Introduced species

Burke Herbarium Image Collection - <https://biology.burke.washington.edu/herbarium/imagecollection.php>

University of Washington

Date compiled: May 12, 2021

<i>Centaurea solstitialis</i> *	Asteraceae	yellow star-thistle, St. Barnaby's thistle	disturbed areas	jul, aug, sep
<i>Cicuta bulbifera</i>	Apiaceae	bubble-bearing water-hemlock, bulbous water-hemlock	freshwater	aug, sep
<i>Dicentra cucullaria</i>	Papaveraceae	dutchman's-breeches	eastern forest	mar, apr, may
<i>Dryopteris carthusiana</i>	Dryopteridaceae	spinulose woodfern, toothed wood fern	western forest, eastern forest, freshwater	no flowers
<i>Dryopteris cristata</i>	Dryopteridaceae	crested woodfern, shield fern	eastern forest, freshwater	no flowers
<i>Dryopteris expansa</i>	Dryopteridaceae	spreading woodfern, northern woodfern	western forest, eastern forest, freshwater	no flowers
<i>Echinochloa muricata</i> var. <i>microstachya</i>	Poaceae	American barnyard grass, or watergrass		
<i>Elymus lanceolatus</i> ssp. <i>lanceolatus</i>	Poaceae	thick-spiked wheatgrass		
<i>Equisetum scirpoides</i>	Equisetaceae	dwarf scouring-rush, sedgelike horsetail	eastern forest, freshwater	no flowers
<i>Equisetum sylvaticum</i>	Equisetaceae	woodland horsetail, wood horsetail	eastern forest, freshwater	no flowers
<i>Erigeron philadelphicus</i>	Asteraceae	Philadelphia fleabane, Philadelphia daisy	western forest, eastern forest, freshwater, disturbed areas	apr, may, jun, jul, aug
<i>Goodyera oblongifolia</i>	Orchidaceae	western rattlesnake plantain, green-leaf rattlesnake-plantain	western forest, eastern forest	jul, aug
<i>Helenium autumnale</i>	Asteraceae	common sneezeweed, large flowered sneezeweed	freshwater, disturbed areas	aug, sep, oct
<i>Juncus effusus</i> ssp. <i>effusus</i> *	Juncaceae	soft rush		
<i>Lathyrus pauciflorus</i> var. <i>pauciflorus</i>	Fabaceae	Few-flowered peavine		apr, may, jun
<i>Myriopteris gracillima</i>	Pteridaceae	lace fern, lace lip fern	eastern forest, prairie or bald, shrub-steppe	no flowers

* = Introduced species

Burke Herbarium Image Collection - <https://biology.burke.washington.edu/herbarium/imagecollection.php>

University of Washington

Date compiled: May 12, 2021

<i>Oxytropis campestris</i> var. <i>columbiana</i>	Fabaceae	Slender crazyweed, field crazyweed		may, jun, jul
<i>Physostegia parviflora</i>	Lamiaceae	western false dragonhead, purple dragonhead		
<i>Ribes niveum</i>	Grossulariaceae	snow currant, Snake River gooseberry, snow gooseberry	eastern forest, freshwater	apr, may
<i>Sceptridium multifidum</i>	Ophioglossaceae	leathery grapefern		
<i>Sclerochloa dura</i> *	Poaceae	common hardgrass	disturbed areas	jun
<i>Senecio triangularis</i>	Asteraceae	arrowleaf ragwort	western forest, eastern forest, subalpine or alpine, freshwater	jun, jul, aug, sep
<i>Shepherdia canadensis</i>	Elaeagnaceae	russet buffaloberry, soopolallie, soapberry	western forest, eastern forest, prairie or bald, shrub-steppe	may, jun, jul
<i>Sisyrinchium septentrionale</i>	Iridaceae	northern blue-eyed grass	subalpine or alpine, freshwater	jun, jul
<i>Sphaeralcea munroana</i>	Malvaceae	Munro's globemallow, white-stemmed globemallow	eastern forest, shrub-steppe	may, jun, jul, aug
<i>Spinulum annotinum</i>	Lycopodiaceae			
<i>Taraxacum erythrospermum</i> *	Asteraceae	red-seeded dandelion	western forest, eastern forest, prairie or bald, shrub-steppe, disturbed areas	apr, may, jun, jul, aug, sep, oct
<i>Tonella floribunda</i>	Plantaginaceae	manyflower tonella, greater baby- innocence, large-flowered tonella	eastern forest, shrub-steppe	apr, may, jun
<i>Trisetum spicatum</i>	Poaceae	spike trisetum, narrow false oat	western forest, eastern forest, subalpine or alpine	jun, jul, aug, sep

* = Introduced species

Burke Herbarium Image Collection - <https://biology.burke.washington.edu/herbarium/imagecollection.php>

University of Washington

Date compiled: May 12, 2021