

Flora of the Pacific Northwest Checklist

A checklist of the Vascular Plants of the Pacific Northwest
Hosted by the University of Washington Herbarium

Family: Aristolochiaceae

3 terminal taxa (species, subspecies, and varieties).

The Flora of the Pacific Northwest Checklist aims to be a complete list of the native and naturalized vascular plants of the Pacific Northwest, with current classifications, nomenclature and synonymy.

Taxa included in the checklist:

- Native taxa whether extant, extirpated, or extinct.
- Exotic taxa that are naturalized, escaped from cultivation, or persisting wild.
- Waifs (e.g., ballast plants, escaped crop plants) and other scarcely collected exotics.
- Interspecific hybrids that are frequent or self-maintaining.
- Some unnamed taxa in the process of being described.

Family classifications follow [APG IV](#) for angiosperms, PPG I (J. Syst. Evol. 54:563-603. 2016.) for pteridophytes, and Christenhusz et al. (Phytotaxa 19:55-70. 2011.) for gymnosperms, with a few exceptions. Nomenclature and synonymy at the rank of genus and below follows the [2nd Edition of the Flora of the Pacific Northwest](#) except where superseded by new information.

Accepted names are indicated with **blue type**, synonyms with **gray type**.

Native species and infraspecies are marked with **bold-face type**.

*Non-native and introduced taxa are preceded by an asterisk.

Please note: This is a working checklist, continuously updated. Use it at your discretion.

Created from the Flora of the PNW Checklist database on June 4th, 2026 at 10:29am PT.

Available online at <https://burkeherbarium.org/pnwflora/>

Comments and questions should be addressed to the checklist administrators:

David Giblin (dgiblin@uw.edu)

Peter Zika (zikap941@gmail.com)

Suggested citation:

LASTNAME, F., OTHER PEOPLE. 2023+. Checklist of the Vascular Plants of the Pacific Northwest. University of Washington Herbarium. <https://burkeherbarium.org/pnwflora/>. Accessed Jun 4, 2026.

Dicots:

Aristolochiaceae [FNA3, HC, HC2] Birthwort Family

Asarum [FNA3, HC, HC2]

Sp. Pl. 1: 442. 1753; Gen. Pl. ed. 5, 201, 1754.
wild ginger

Asarum caudatum Lindl. [FNA3, HC, HC2]

Edwards's Bot. Reg. 17: footnote after plate 1399. 1831.
wild ginger

Asarum caudatum Lindl. var. *caudatum* [KZ99]

FNA3: "In most populations of *Asarum caudatum*, the distal portion of the sepal is spreading or weakly reflexed and 30-75 mm. A single population south of Mt. Shasta, California, has the distal sepals strongly reflexed and unusually short, often as little as 1.1 cm. Flowers of these plants superficially resemble those of *A. lemmonii*; they differ in being horizontal, not descending as in *A. lemmonii*, and in the filiform-attenuate sepals. Native Americans used *Asarum caudatum* medicinally to treat headaches, intestinal pain, knee pain, indigestion, boils, tuberculosis, and colic, and as a general tonic (D. E. Moerman 1986)."

Asarum marmoratum Piper [FNA3, HC2]

Proc. Biol. Soc. Wash. 29: 99. 1916.
marbled wild ginger

Asarum wagneri K.L. Lu & M.R. Mesler [FNA3, HC2]

Brittonia. 35: 331. 1983.
Wagner's wild ginger