Washington Flora Checklist

A checklist of the Vascular Plants of Washington State Hosted by the University of Washington Herbarium

Family: Commelinaceae

1 terminal taxa (species, subspecies, and varieties).

The Washington Flora Checklist aims to be a complete list of the native and naturalized vascular plants of Washington State, with current classifications, nomenclature and synonymy.

Taxa included in the checklist:

- Native taxa whether extant, extirpated, or extinct.
- Exotic taxa that are naturalized, escaped from cultivation, or persisting wild.
- Waifs (e.g., ballast plants, escaped crop plants) and other scarcely collected exotics.
- Interspecific hybrids that are frequent or self-maintaining.
- Some unnamed taxa in the process of being described.

Family classifications follow <u>APG IV</u> for angiosperms, PPG I (J. Syst. Evol. 54:563-603. 2016.) for pteridophytes, and Christenhusz et al. (Phytotaxa 19:55-70. 2011.) for gymnosperms, with a few exceptions. Nomenclature and synonymy at the rank of genus and below follows the <u>2nd Edition of the Flora of the Pacific Northwest</u> except where superceded by new information.

Accepted names are indicated with blue type, synonyms with gray type. Native species and infraspecies are marked with **bold-face type**.

*Non-native and introduced taxa are preceded by an asterisk.

Please note: This is a working checklist, continuously updated. Use it at your discretion.

Created from the Washington Flora Checklist database on December 3rd, 2025 at 5:08am PT. Available online at https://burkeherbarium.org/waflora/

Comments and questions should be addressed to the checklist administrators: David Giblin (dgiblin@uw.edu)
Peter Zika (zikap941@gmail.com)

Suggested citation:

Weinmann, F., P.F. Zika, D.E. Giblin, B. Legler. 2002+. Checklist of the Vascular Plants of Washington State. University of Washington Herbarium. https://burkeherbarium.org/waflora/. Accessed Dec 3, 2025.

Monocots:

Commelinaceae [FNA22, HC2] Spiderwort Family

FNA22: "The flowers lack nectar and are ephemeral, lasting only a few hours. Their structure is seldom preserved in dried specimens. In the absence of well-pressed flowers, mature buds can be readily dissected in situ, and the arrangement and degree of development of the androecium and gynoecium easily determined."

*Commelina [FNA22, HC2]

Sp. Pl. 1: 40. 1753; Gen. Pl. ed.; 5:25, 1754.

*Murdannia [FNA22, HC2]

Illustrations of the Botany ... of the Himalayan Mountains ... 403, plate 95, fig. 3. 1840. [name conserved]

*Murdannia keisak (Hassk.) Hand.-Mazz. [FNA22, HC2]

Symb. Sin. 7: 1243. 1936. wart-removing-herb

Aneilema keisak Hassk.

FNA22: "I agree with C. P. Dunn and R. R. Sharitz (1990) that this species is still expanding its range since its introduction early this century."