

Washington Flora Checklist

A checklist of the Vascular Plants of Washington State

Hosted by the University of Washington Herbarium

Family: Paeoniaceae

1 terminal taxa (species, subspecies, and varieties).

The Washington Flora Checklist aims to be a complete list of the native and naturalized vascular plants of Washington State, with current classifications, nomenclature and synonymy.

Taxa included in the checklist:

- Native taxa whether extant, extirpated, or extinct.
- Exotic taxa that are naturalized, escaped from cultivation, or persisting wild.
- Waifs (e.g., ballast plants, escaped crop plants) and other scarcely collected exotics.
- Interspecific hybrids that are frequent or self-maintaining.
- Some unnamed taxa in the process of being described.

Family classifications follow [APG IV](#) for angiosperms, PPG I (J. Syst. Evol. 54:563-603. 2016.) for pteridophytes, and Christenhusz et al. (Phytotaxa 19:55-70. 2011.) for gymnosperms, with a few exceptions. Nomenclature and synonymy at the rank of genus and below follows the [2nd Edition of the Flora of the Pacific Northwest](#) except where superceded by new information.

Accepted names are indicated with **blue type**, synonyms with gray type.

Native species and infraspecies are marked with **bold-face type**.

*Non-native and introduced taxa are preceded by an asterisk.

Please note: This is a working checklist, continuously updated. Use it at your discretion.

Created from the Washington Flora Checklist database on January 17th, 2026 at 2:39pm PT.

Available online at <https://burkeherbarium.org/waflora/>

Comments and questions should be addressed to the checklist administrators:

David Giblin (dgiblin@uw.edu)

Peter Zika (zikap941@gmail.com)

Suggested citation:

Weinmann, F., P.F. Zika, D.E. Giblin, B. Legler. 2002+. Checklist of the Vascular Plants of Washington State. University of Washington Herbarium. <https://burkeherbarium.org/waflora/>. Accessed Jan 17, 2026.

Dicots:

Paeoniaceae [FNA8, HC, HC2] Peony Family

FNA8: "Paeonia was long included in Ranunculaceae or was associated with Dilleniaceae. Angiosperm Phylogeny Group (2003) placed Paeoniaceae in Saxifragales."

***Paeonia* [FNA8, HC, HC2]**

Sp. Pl. 1: 530. 1753; Gen. Pl. ed. 5, 235. 1754.
peony

***Paeonia brownii* Douglas ex Hook. [FNA8, HC, HC2]**

Fl. Bor.-Amer. 1: 27. 1829.
brown's peony, western peony

FNA8: "Paeonia was long included in Ranunculaceae or was associated with Dilleniaceae. Angiosperm Phylogeny Group (2003) placed Paeoniaceae in Saxifragales. Reports of *Paeonia brownii* from Canada evidently stem from early confusion between Vancouver, British Columbia, and Vancouver, Washington (H. J. Scoggan 1978-1979, vol. 3). The type of *P. brownii* was collected on Mount Hood in Oregon, about 75 kilometers from Fort Vancouver (now Vancouver), Washington, which was a base for the collector, David Douglas."